

How to Order - TruFit Pipe & Weld Fittings

- (1) Select the Instrumentation Material Designator from the Chart A. Example: IMT4PT
- (2) Add the SSP Brand Designator ("T" for TruFit). Example: IM**T**4PT
- (3) Add the Tube O.D. from Chart C. Example: IMT4PT
- 4 Add the Type of Pipe Fitting from Chart D. Example: IMT4PT
- (5) Add options if possible

Basic Part Number











AN













MATERIAL

IB Brass

ISS 316 Stainless Steel

IM Alloy 400/R405

IHC Alloy C-276



SSP BRAND DESIGNATOR

T TruFit



SIZE

1 1/16" 12 3/4" 2 1/8" 16 1" 4 1/4" 20 1-1/4" 6 3/8" 32 2"

8 1/2"



OPTIONS

-10K 10K Fittings -BN Nitrile O-ring -V FKM O-ring

-XP98 Clean Per ASTM G93 Level C

-XP97 No Lube



שו				
	Α	Adapter	HLN	Hex Long Nipple
	AN-AN	37° AN Union	HN	Hex Nipple
	ANCP	AN Cap	HRC	Hex Reducing Coupling
	ANF-ANF	37° AN Swivel Union	HRN	Hex Reducing Nipple
	AN-ANF	37°AN x 37° Swivel AN	MC-MRS	Male NPT x Male ISO Straight
	ANF-MC	37° AN Swivel x Male NPT	MC-MST	Male NPT x Male SAE
	AN-FE	AN Swivel Elbow	ME	Male Elbow
	AN-ME	AN Male Elbow	MRS-MRS	BSP Nipple
	ANF-MRS	37° AN Swivel x Male ISO Straight	MRS-MST	Male ISO Straight x Male SAE
	AN-MC	37° AN x Male NPT	MT	Male Tee
	AN-MST	37° AN x Male SAE	PC	Pipe Cap
	ANP	AN Plug	PP	Pipe Plug
	ANUE	AN Union Elbow	PT	Pipe Tee
	Ε	Elbow	SE	Street Elbow
	HC	Hex Coupling	RB	Reducing Bushing

NOTES:

All Configurations:

Only one size indicator is necessary when all of the connections are the same type and size.

Straights and Elbows:

Specify the largest pipe end first followed by the smaller pipe end.

Tees:

Tees are described by first sizing the run (1 to 2) and then the branch (3).

Specials:

SSP manufactures a wide variety of special application pipe fittings. Contact your local distributor for details regarding availability of special pipe fitting configurations, materials and sizes.

Figure 1



1

2

3